

**COUNTY FACILITIES COMMITTEE MEETING
BUILDINGS & GROUNDS AGENDA
March 20, 2024**

Committee Members: BRUNO, Geraci, Conover, Diamond, Strough, Magowan and Thomas

I. Committee Meeting Call to Order by Chair

II. Approval of minutes of prior Committee Meeting

III. Privilege of the floor and public comment

IV. Action Agenda/New Business Items:

1. Request: New Contract for Overhead Door Repair
Rationale: Contract award to Winchip Overhead Door

V. Discussion Items

1. Work Order Request Program - 4609
2. Fleet Car Request Program - 3092
3. Regional Morgue – Update
4. Joseph Warren Museum – Update
5. Phase IV Court Project - Update

VI. Referrals/Pending Items

1. Design for updates to the front entrance of the Municipal Center Building - Waiting to determine how much funding would be available once the Court project was complete. (02.21.24)
2. Magnetometer at DMV - Two manufacturers wanted to provide demonstrations on new magnetometer units which would streamline the process, at costs ranging from \$8,000 to \$20,000. (02.21.24)

VII. Privilege of the floor and public comment

VII. Motion to Adjourn

Attachment

1. Resolution Request No. 3 – New Contract

RESOLUTION REQUEST FORM NO. 3

Request for New Contract

DEPARTMENT NAME: DPW - Facilities

DATE: 3/20/24

- (a) Is this a Result of a Bid or Request for Proposal? WC 5-24
- (b) Purpose of Contract: Contract for Overhead Door Repair, Replacement, Installation & PM
- (c) Name of Contractor: Winchip Overhead Door Co.
- (d) Address of Contractor: PO Box 378 Glens Falls, NY 12801
- (e) Contractor's Contact Person and Telephone Number: 518 792-0777
- (f) Has or will the Contract be provided, if so, please attach:
- (g) Commencement Date of Contract: May 1, 2024
- (h) Termination Date of Contract: April 30, 2025 with (2) one year extensions available
- (i) Payment Provisions:
 - i) lump sum amount
 - ii) hourly rate amount
 - iii) total amount not to exceed
 - iv) how will payments be made (i.e. monthly, quarterly, upon completion of the project, etc.
- (j) Where are the Funds for this Contract? List Budget Code, (with title), Object Code (with title), and Amount: OR Capital Project OR Capital Reserve Project Number, and Title, and Amount: Various


Specification Sheet

Evolv Express®






Indoor System



Standard Mat



Wide Mat




*Note: This is a portion of the dual lane system and the other lane is a mirror image

Specification Sheet

Evolv Express

Indoor System



Environmental Specifications	
Operating Temperature:	Min: -20C, Max: +55C
Storage Temperature:	Min: -40C, Max: +70C
Relative Humidity:	Up to 95% (non-condensing)
Ingress Rating:	IP54

Standard Mat

Physical Specifications		
Dimensions	Depth	40.3 in (102.4 cm)
	Width	Dual Lane: 116.4 in (295.7 cm) Single Lane: 66.7 in (169.4 cm)
	Height	74.1 in (188.1 cm)
	Weight	Dual Lane: 334 lbs (151 kg) Single Lane: 268 lbs (122 kg)
	Mat Lip	0.2 in (0.5 cm)
	Mat Height	0.9 in (2.3 cm)
Lane Opening	Width	32.0 in (81.3 cm) per lane
Throughput		Dual Lane: Up to 3,600 people per hour Single Lane: Up to 1,800 people per hour
Power	Voltage	100VAC - 240VAC (+/-10%)
	Phase	Single Phase
Consumption	Typical	200W max


Wide Mat

Physical Specifications		
Dimensions	Depth	40.3 in (102.4 cm)
	Width	Dual Lane: 132.4 in (336.2 cm) Single Lane: 74.7 in (189.7 cm)
	Height	74.1 in (188.1 cm)
	Weight	Dual Lane: 334 lbs (151 kg) Single Lane: 268 lbs (122 kg)
	Mat Lip	0.2 in (0.5 cm)
	Mat Height	0.9 in (2.3 cm)
Lane Opening	Width	39.8 in (101.1 cm) per lane
Throughput		Dual Lane: Up to 4,000 people per hour Single Lane: Up to 2,000 people per hour
Power	Voltage	100VAC - 240VAC (+/-10%)
	Phase	Single Phase
Consumption	Typical	200W max

Specification Sheet


Evolv Express Software

Tablet Home Screen



Tablet home screen shows one-touch request assistance, operator position, user ID, battery status, connectivity status, system configuration, date/time, system serial number, and software version.

Evolv Insights®



Evolv Insights® analytics portal provides visitor arrival curves and alarm rates by date, location, and event type to support staffing decisions for more secure and efficient venue operations.

*The data used is fictitious and only used to illustrate some of Evolv Insights analytical views and reporting elements offered in the Evolv Express system. No conclusions should be drawn from this data.

Wireless Tablets

Quantity	<ul style="list-style-type: none"> • 2 per lane included, with 1 floor and 1 desktop stand • Up to 3 tablets may be used per lane
Size	<ul style="list-style-type: none"> • Indoor/outdoor 10 inch battery-powered tablet
Available Accessories	<ul style="list-style-type: none"> • Extra 90W batteries • 6-bay battery charger • 1-bay battery charger

Other Specifications

Optional Accessories & Add-Ons	<ul style="list-style-type: none"> • Additional wired or wireless tablet with floor or desktop stand • Ability to customize graphic panels • Operational Test Kit • 2 Situational Awareness Cameras – front and rear* integrate security cameras with existing Video Management System (VMS)
Available Integrations	<ul style="list-style-type: none"> • Integrations exist with Evolv Open API, Avigilon Control Center, Genetec Security Center, Milestone XProtect, and Titan HST
Analytics Portal	<ul style="list-style-type: none"> • Easily access and visualize your security screening system performance, visitor flow, event type details, location specific performance and more • Self-serve dashboards include Performance Summary, Alert and Timeline Analysis, Event Category Analysis, and Sensitivity Setting/What-If Analysis • Receive post-event and daily summary reports that are automatically generated and emailed after each event or day.
Mobile Application	<ul style="list-style-type: none"> • Android- and iOS-compatible mobile application, with access to the portal and analytics

*Camera ports are isolated from Express internal and external networks

Specification Sheet

FAQs

Q1: Is the Evolv Express System Safe?

Evolv is dedicated to safety, quality, and consistency of our products. The Evolv Express system meets US and international standards for:

- Human exposure to magnetic fields
- Electrical and physical safety
- Electromagnetic emissions
- Disabled access
- Material safety

Q2: Is the Evolv Express system safe for people with an implanted or wearable medical device?

In keeping with FDA guidance on EAS and walk-through metal detectors, it is recommended that visitors and system operators with implantable or wearable medical devices consult their device manufacturer or physician for information relating to their own specific device. An alternative screening approach is recommended for anyone who has safety concerns.

Q3: Is the Evolv Express system safe for pregnant people?

The Evolv Express uses extremely low frequency radio waves (ELF) - a non-ionizing sensing modality - in compliance with IEEE's 2019 guidance for safe operation with the general public, which they define as including pregnant people and their unborn children. An alternative screening approach is recommended for anyone who has safety concerns.

Other Specifications

Health & Safety

- IEEE C95.1-2019 Standard for Safety Level with Respect to EMF
- ICNIRP Guidelines for Limiting Exposure to Time-Varying Electric and Magnetic Fields 2010 (1 Hz - 100 kHz)
- NRTL-certified in accordance with UL 61010-1, CSA 61010-1, and EN 61010-1
- CE mark
- FCC CFR Part 15
- US Americas with Disabilities Act Compliance (compliant access)*
- RoHS (restriction of the use of certain hazardous substances in electrical equipment)

* All configurations except outdoor model with standard mat are ADA-compliant for access.

Why Evolv

- Express can screen up to 4,000 people per hour and is proven to operate up to ten times faster than traditional metal detectors with its dual-lane, free-flow entrances and fusion of new sensor technology and artificial intelligence
- Unlike traditional metal detectors, Evolv Express uses advanced sensor technology and artificial intelligence to screen guests while they walk through at a natural pace—without always having to stop and hand over their belongings
- Evolv has screened more than 750+ million people
- Evolv's products are in use worldwide at industrial workplaces, sports stadiums and arenas, entertainment and hospitality venues, government facilities, hospitals, schools, airports, security forces, critical infrastructure, corporate offices, and places of worship

Read the full Health & Safety Doc here.
Scan the QR code.



Health & Safety

Evolv Express® Request Assistance



Enhance Your Security Response with
Integrated Communications


Seamlessly Integrate Critical Communications with Weapons Screening Technology

A host of technologies, processes, and protocols for venue security are available to your teams. But seamlessly integrating the most critical communications into your current process and technology landscape shouldn't be a burden. When your staff needs to reach out across your existing security ecosystem—for help from other team members, supervisors, or adjacent teams like law enforcement—communications should happen as soon as your staff, and your guests, need it.

Introducing Evolv Express® Request Assistance

Ensuring a frictionless guest experience while achieving unparalleled levels of security by detecting weapons at your entryways is the work of Evolv Express. But our technology relies on your people and processes for successful issue resolution. And when your teams need extra help to complete this work, whether because of visitor overcrowding, staffing constraints, a guest health emergency, or an escalated threat situation that needs additional personnel to resolve, it is critical to leverage your existing security processes and systems so that help can arrive as soon as possible. With Evolv Express Request Assistance, this communication happens in seconds. And by integrating seamlessly with your existing processes and technologies, Request Assistance means the right resources can help your teams, and your guests, as soon as possible.





Only Evolv Express® Request Assistance Offers



Critical Communications: Quickly send requests leveraging the teams and protocols you define. Create up to five predefined messages that can be sent (or four plus a free-form message of up to 100 characters).



Discreet Outreach: At the touch of a button in the user interface, help is summoned—allowing your teams to reach out without visitors knowing.



Rapid Alerts: Address crowding, health issues, staff constraints, or escalated threat situations and streamline your critical response time.



Seamlessly Integrated: Easily send Request Assistance messages and Express location information to security systems integrated with Express.



Target Critical Assistance: Request Assistance automatically includes the location where help is needed and allows for customized messages from the team member in need.

Instant, Discreet Messages Sent to Systems and Personnel You Assign

Request Assistance integrates communications sent from Evolv Express with the personnel prescribed by your security protocols, extending your security ecosystem and adjacent technologies to include your venue’s entryways. With a simple touch, communications are sent discreetly from any Evolv Express tablet via SMS text or email or to any integrated security system. Evolv Express automatically includes the entry location of the system requesting assistance, along with a predefined or customized message from the team member in need. Request Assistance ensures that the personnel staffing the most critical positions in your venue—weapons detection and screening—will be able to leverage existing protocols for critical communications to get the help they need and better secure your entryways, quickly.

Easily Configured by You

The MyEvolv Portal offers an intuitive, straightforward way for your system administrator to configure which staff members receive these requests. Simply configure email addresses and / or SMS notifications and “subscribe” the right personnel across your security team, venue management, and adjacent staff to receive alerts and Evolv seamlessly orchestrates the rest. Configure predefined messages that operators can send with a single button press and enable customized messages—ensuring the right assistance reaches them, and your guests, as soon as it is needed.

RESOLUTION REQUEST FORM NO. 3

Request for New Contract

DEPARTMENT NAME: DPW - B&G

DATE: 3/29/24

- (a) Is this a Result of a Bid or Request for Proposal? WC 1-24 Joseph Warren Center for Leadership and History - Museum Alteration
- (b) Purpose of Contract: To enter into contract with the lowest responsive bidder for the Plumbing Contractor for the Museum Alteration.
- (c) Name of Contractor: B&B Premier Contracting, LLC
- (d) Address of Contractor: 10 Ferris Street Hudson Falls NY 12839
- (e) Contractor's Contact Person and Telephone Number: Robert Brady 518 538-9524
- (f) Has or will the Contract be provided, if so, please attach:
- (g) Commencement Date of Contract: Upon Execution
- (h) Termination Date of Contract: Upon Completion
- (i) Payment Provisions:
 - i) lump sum amount
 - ii) hourly rate amount
 - iii) total amount not to exceed
 - iv) how will payments be made (i.e. monthly, quarterly, upon completion of the project, etc.
- (j) Where are the Funds for this Contract? List Budget Code, (with title), Object Code (with title), and Amount: OR Capital Project OR Capital Reserve Project Number, and Title, and Amount: TBD

RESOLUTION REQUEST FORM NO. 3

Request for New Contract

DEPARTMENT NAME: DPW - B&G

DATE: 3/29/24

- (a) Is this a Result of a Bid or Request for Proposal? WC 1-24 Joseph Warren Center for Leadership and History - Museum Alteration
- (b) Purpose of Contract: To enter into contract with the lowest responsive bidder for the Electrical Contractor for the Museum Alteration.
- (c) Name of Contractor: Rozell Industries, Inc
- (d) Address of Contractor: 129 Park Road, Queensbury NY 12804
- (e) Contractor's Contact Person and Telephone Number: Brian Rozell 518 793-2634
- (f) Has or will the Contract be provided, if so, please attach:
- (g) Commencement Date of Contract: Upon Execution
- (h) Termination Date of Contract: Upon Completion
- (i) Payment Provisions:
 - i) lump sum amount
 - ii) hourly rate amount
 - iii) total amount not to exceed
 - iv) how will payments be made (i.e. monthly, quarterly, upon completion of the project, etc.
- (j) Where are the Funds for this Contract? List Budget Code, (with title), Object Code (with title), and Amount: OR Capital Project OR Capital Reserve Project Number, and Title, and Amount: TBD

RESOLUTION REQUEST FORM NO. 3

Request for New Contract

DEPARTMENT NAME: DPW - B&G

DATE: 3/29/24

- (a) Is this a Result of a Bid or Request for Proposal? WC 1-24 Joseph Warren Center for Leadership and History - Museum Alteration
- (b) Purpose of Contract: To enter into contract with the lowest responsive bidder for the General Contractor for the Museum Alteration.
- (c) Name of Contractor: Bonacquisti Brothers Construction
- (d) Address of Contractor: 20 Center Street, Albany ny 12204
- (e) Contractor's Contact Person and Telephone Number: John Bonacquisti 518 956-1358
- (f) Has or will the Contract be provided, if so, please attach:
- (g) Commencement Date of Contract: Upon Execution
- (h) Termination Date of Contract: Upon Completion
- (i) Payment Provisions: i) lump sum amount
ii) hourly rate amount
iii) total amount not to exceed
iv) how will payments be made (i.e. monthly, quarterly, upon completion of the project, etc.
- (j) Where are the Funds for this Contract? List Budget Code, (with title), Object Code (with title), and Amount: OR Capital Project OR Capital Reserve Project Number, and Title, and Amount: TBD

RESOLUTION REQUEST FORM NO. 3

Request for New Contract

DEPARTMENT NAME: DPW - B&G

DATE: 3/29/24

- (a) Is this a Result of a Bid or Request for Proposal? WC 1-24 Joseph Warren Center for Leadership and History - Museum Alteration
- (b) Purpose of Contract: To enter into contract with the lowest responsive bidder for the Mechanical Contractor for the Museum Alteration.
- (c) Name of Contractor: Rozell Industries, Inc
- (d) Address of Contractor: 129 Park Road, Queensbury NY 12804
- (e) Contractor's Contact Person and Telephone Number: Brian Rozell 518 793-2634
- (f) Has or will the Contract be provided, if so, please attach:
- (g) Commencement Date of Contract: Upon Execution
- (h) Termination Date of Contract: Upon Completion
- (i) Payment Provisions:
 - i) lump sum amount
 - ii) hourly rate amount
 - iii) total amount not to exceed
 - iv) how will payments be made (i.e. monthly, quarterly, upon completion of the project, etc.
- (j) Where are the Funds for this Contract? List Budget Code, (with title), Object Code (with title), and Amount: OR Capital Project OR Capital Reserve Project Number, and Title, and Amount: TBD